

## ULTRA /IOLET

Section 1:	PRODUCT & COMPANY IDENTIFICATION				
Product Name CAS # Product Use		ULTRAVIOLET® Snow & Ice Melt, Extreme Power 7647-14-5 De-icer			
Manufacturer(s)	Blending/Bagging	Salt Depot Inc. 5442 Wells Park Road West Jordan, UT 84081 801-282-1250			
Supplier		ULTRAVIOLET®, Inc. 6190 Cougar Lane Kamas, UT 84036 888.88ICEMELT			
24 Hour Hotline		CHEMTREC 800-424-9300			
Section 2:	HAZARDS IDENT	IFICATION			
		WELL AS ITS INDIVIDUAL COMPONENTS, IS NOT CLASSIFIED AS 12012 REGULATIONS OR THE CANADIAN W.H.I.M.I.S. REGULATIONS.			
Section 3:	COMPOSITION /	INORMATION ON INGREDIENTS			
Ingredient(s) Sodium Chloride Calcium Chloride Magnesium Chlorid Potassium Chloride Proprietary Purple I		CAS#Percent7647-14-597%10043-52-41%7791-18-61%7447-40-71%Proprietary			
Section 4:	FIRST AID MEAS	URES			
First Aid Procedure	<u>.</u>	Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists. Flush with cool water. Wash with soap & water. Obtain medical attention if irritation persists. If symptoms develop move victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, obtain medical attention. Do not induce vomiting. Rinse mouth with water, then drink 1 to 2 glasses of water. Obtain medical attention. Never give anything by mouth if victim is unconscious, or is convulsing. Symptoms may be delayed. All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.			
Section 5:	FIRE FIGHTING	MEASURES			
Flammable Propert Flash Point & Meth Flammable Limits Extinguishing Medi	od a	Not flammable by WHMIS/OSHA criteria. N/A N/A			
	nguishing Media xtinguishing Media	Treat for surround material, water spray, dry chemicals, foam or carbon dioxide. N/A			

Section 5:	FIRE FIGHTING	MEASURES, continued			
Protection of Firefighters Specific Hazards Arising from chemical Protective Equipment for Firefighters		N/A Full protective clothing, including self contained breathing apparatus.			
Unusual Fire & Exp	olosion Hazards	None			
NFPA	FIRE HAZARDS		_ Minimal 0		
Health			Slight 1		
Fire:	0		OmegaOmegaOmegaOmegaSerious3		
Reacti Specif	,		Severe 4		
Section 6:	· · ·	ELEASE MEASURES			
			leve lie en avetention		
Personal Precautions		wear suitable protective clothing, gloves and	Wear suitable protective clothing, gloves and eye/face protection.		
Methods of Contai		None necessary.			
Methods for Clean	ing Up	Use broom, shovel or dry vacuum to collect material for proper disposal			
		without raising dust. Discard in normal waste local regulations. Following product recovery			
		local regulations. Following product recovery	y, nush area with water.		
Section 7:	HANDLING & ST	ORAGE			
Handling		Use care in handling/storage. Avoid breathing	g dust.		
Storage		Keep out of reach of children. Keep containers			
		when not in use in a cool, dry, well-ventilated	place.		
Section 8:	EXPOSURE CON	ITROLS / PERSONAL PROTECTION			
Occupational Expo	osure Limits	No exposure limits noted for ingredient(s).			
Biological Limit Va	lues	No biological exposure limits noted for ingredie	ent(s).		
Appropriate Engineering Controls		TWA PEL: No specific limits have been established for magnesium chloride & sodium chloride (a soluble substance). As a guideline, OSHA has established the following limits which are generally recognized for inert or nuisance dust. Particulates not otherwise regulated (PNOR): 5mg/cu.m. Respirable Dust 8-hr TWA PEL, 15mg/cu.m. Total Dust 8-hr TWA PEL			
		TWA TLV: No specific limits have been establish chloride (a soluble substance). As a guideline, A which are generally recognized for inert or nuis classified (PNOC): 10mg/cu.m. Respirable dust 8-hr TWA TLV, 15n	ACGIH has established the following limits sance dust. Particulates not otherwise		
		Use process enclosures, local exhaust ventilatic airborne levels below recommended exposure fumes or mist, use ventilation to keep exposure exposure limits.	limits. If user operations generate dust,		
Personal Protectiv	e Equipment				
Eye / Face P Hand Protec Skin & Body Respiratory	tion Protection Protection	Optional Optional As required by employer code. Where exposure guideline may be exceeded, us approved filtering facepiece. Handle in accordance with good industrial hygi			
General Hyg	iene Considerations	eat or drink. Wash hands before breaks & immo			

Section 9:	PHYSICAL & CHEMI	CAL PROPERTIES	
Appearance		Crystalline	
P O		Solid	
7		Crystaline	
#		Purple	
		Odorless N/A	
\ `u =		6-8 neutral	
_ U h		800.9 C (1473.8 F)	
7 ĥ		N/A	
" h		1413 C (2575.4 F)	
7 ĥ		N/A N/A	
- k 7 · ·		N/A N/A	
7		N/A	
† 'n		0.1 kPa (1mmhg)@865 C	
Vapor Density		N/A	
Specific Gravity		2.17 (H@) @20 C	
Relative Density Octanol/Water Coeff	iciont	2.17 g/cm3 N/A	
Solubility (H2O	icicilt.	36g/100g H2O @20 C	
Partition Coefficient		N/A	
Auto-ignition Temper	rature	N/A	
Percent Volatile		0% w/w	
Molecular Weight		58.4400 g/mole NaCl	
Molecular Formula			
Section 10:		TY REACTIVITY INFORMATION	
Chemical Stability		Material is stable under normal conditions.	
Conditions to Avoid		Contact with incompatible materials.	
Incompatible Mate	rials	Reactive with oxidizing agents, acids, metals in presence of moisture, lithium, bromine, trifloride.	
Hazardous Decomp	oosition Products	May include and are not limited to: Hydrogen chloride. Chlorine gas. Oxides of magnesium.	
Possibility of Hazar	dous Reactions	No dangerous reaction known under conditions of normal use.	
Section 11:	TOXICOLOGICAL IN	FORMATION	
Section 11: Component Analys Sodium Chloride		FORMATION LC50 1 hour>42,000 mg/m3 rat	
<b>Component Analys</b> Sodium Chloride	is-LC50 Ingredients	<b>LC50</b> 1 hour>42,000 mg/m3 rat	
<b>Component Analys</b> Sodium Chloride		LC50 1 hour>42,000 mg/m3 rat LD50	
Component Analys Sodium Chloride Component Analys Sodium Chloride	is-LC50 Ingredients is-Oral LD50 Ingredients	LC50 1 hour>42,000 mg/m3 rat LD50 3,550 mg/kg rat	
Component Analys Sodium Chloride Component Analys	is-LC50 Ingredients is-Oral LD50 Ingredients posure	LC50 1 hour>42,000 mg/m3 rat LD50 3,550 mg/kg rat 10,000 mg/kg rabbit	
Component Analys Sodium Chloride Component Analys Sodium Chloride	is-LC50 Ingredients is-Oral LD50 Ingredients posure Eye	LC50 1 hour>42,000 mg/m3 rat LD50 3,550 mg/kg rat 10,000 mg/kg rabbit Direct contact with eyes may cause temporary irritation.	
Component Analys Sodium Chloride Component Analys Sodium Chloride	is-LC50 Ingredients is-Oral LD50 Ingredients posure Eye Skin	LC50 1 hour>42,000 mg/m3 rat LD50 3,550 mg/kg rat 10,000 mg/kg rabbit Direct contact with eyes may cause temporary irritation. No adverse effects due to skin contact are expected.	
Component Analys Sodium Chloride Component Analys Sodium Chloride	is-LC50 Ingredients is-Oral LD50 Ingredients posure Eye Skin Inhalation	LC50 1 hour>42,000 mg/m3 rat LD50 3,550 mg/kg rat 10,000 mg/kg rabbit Direct contact with eyes may cause temporary irritation. No adverse effects due to skin contact are expected. Dust of this product may cause irritation of the nose, throat, & respiratory tract.	
Component Analys Sodium Chloride Component Analys Sodium Chloride Effects of Acute Ex	is-LC50 Ingredients is-Oral LD50 Ingredients posure Eye Skin	LC50 1 hour>42,000 mg/m3 rat LD50 3,550 mg/kg rat 10,000 mg/kg rabbit Direct contact with eyes may cause temporary irritation. No adverse effects due to skin contact are expected. Dust of this product may cause irritation of the nose, throat, & respiratory tract. Expected to be a low ingestion hazard.	
Component Analys Sodium Chloride Component Analys Sodium Chloride Effects of Acute Exp Sensitization	is-LC50 Ingredients is-Oral LD50 Ingredients posure Eye Skin Inhalation	LC50 1 hour>42,000 mg/m3 rat LD50 3,550 mg/kg rat 10,000 mg/kg rabbit Direct contact with eyes may cause temporary irritation. No adverse effects due to skin contact are expected. Dust of this product may cause irritation of the nose, throat, & respiratory tract. Expected to be a low ingestion hazard. Not classified or listed by IARC, NTP, OSHA, and ACGIH.	
Component Analys Sodium Chloride Component Analys Sodium Chloride Effects of Acute Ex Sensitization Chronic Effects	is-LC50 Ingredients is-Oral LD50 Ingredients posure Eye Skin Inhalation	LC50 1 hour>42,000 mg/m3 rat LD50 3,550 mg/kg rat 10,000 mg/kg rabbit Direct contact with eyes may cause temporary irritation. No adverse effects due to skin contact are expected. Dust of this product may cause irritation of the nose, throat, & respiratory tract. Expected to be a low ingestion hazard. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH.	
Component Analys Sodium Chloride Component Analys Sodium Chloride Effects of Acute Ex Sensitization Chronic Effects Carcinogenicity	is-LC50 Ingredients is-Oral LD50 Ingredients posure Eye Skin Inhalation	LC50 1 hour>42,000 mg/m3 rat LD50 3,550 mg/kg rat 10,000 mg/kg rabbit Direct contact with eyes may cause temporary irritation. No adverse effects due to skin contact are expected. Dust of this product may cause irritation of the nose, throat, & respiratory tract. Expected to be a low ingestion hazard. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH.	
Component Analys Sodium Chloride Component Analys Sodium Chloride Effects of Acute Ex Sensitization Chronic Effects Carcinogenicity Mutagenicity	is-LC50 Ingredients is-Oral LD50 Ingredients posure Eye Skin Inhalation Ingestion	LC50 1 hour>42,000 mg/m3 rat LD50 3,550 mg/kg rat 10,000 mg/kg rabbit Direct contact with eyes may cause temporary irritation. No adverse effects due to skin contact are expected. Dust of this product may cause irritation of the nose, throat, & respiratory tract. Expected to be a low ingestion hazard. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH.	
Component Analys Sodium Chloride Component Analys Sodium Chloride Effects of Acute Exp Sensitization Chronic Effects Carcinogenicity Mutagenicity Reproductive Effect	is-LC50 Ingredients is-Oral LD50 Ingredients posure Eye Skin Inhalation Ingestion	LC50 1 hour>42,000 mg/m3 rat LD50 3,550 mg/kg rat 10,000 mg/kg rabbit Direct contact with eyes may cause temporary irritation. No adverse effects due to skin contact are expected. Dust of this product may cause irritation of the nose, throat, & respiratory tract. Expected to be a low ingestion hazard. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH.	
Component Analys Sodium Chloride Component Analys Sodium Chloride Effects of Acute Ex Sensitization Chronic Effects Carcinogenicity Mutagenicity Reproductive Effec Teratogenicity	is-LC50 Ingredients is-Oral LD50 Ingredients posure Eye Skin Inhalation Ingestion	LC50 1 hour>42,000 mg/m3 rat LD50 3,550 mg/kg rat 10,000 mg/kg rabbit Direct contact with eyes may cause temporary irritation. No adverse effects due to skin contact are expected. Dust of this product may cause irritation of the nose, throat, & respiratory tract. Expected to be a low ingestion hazard. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH.	
Component Analys Sodium Chloride Component Analys Sodium Chloride Effects of Acute Exp Sensitization Chronic Effects Carcinogenicity Mutagenicity Reproductive Effec Teratogenicity Section 12:	is-LC50 Ingredients is-Oral LD50 Ingredients posure Eye Skin Inhalation Ingestion ts ECOLOGICAL INFOF	LC50 1 hour>42,000 mg/m3 rat LD50 3,550 mg/kg rat 10,000 mg/kg rabbit Direct contact with eyes may cause temporary irritation. No adverse effects due to skin contact are expected. Dust of this product may cause irritation of the nose, throat, & respiratory tract. Expected to be a low ingestion hazard. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH.	
Component Analys Sodium Chloride Component Analys Sodium Chloride Effects of Acute Ex Sensitization Chronic Effects Carcinogenicity Mutagenicity Reproductive Effec Teratogenicity	is-LC50 Ingredients is-Oral LD50 Ingredients posure Eye Skin Inhalation Ingestion ts ECOLOGICAL INFOF The product is	LC50 1 hour>42,000 mg/m3 rat LD50 3,550 mg/kg rat 10,000 mg/kg rabbit Direct contact with eyes may cause temporary irritation. No adverse effects due to skin contact are expected. Dust of this product may cause irritation of the nose, throat, & respiratory tract. Expected to be a low ingestion hazard. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH.	
Component Analys Sodium Chloride Component Analys Sodium Chloride Effects of Acute Exp Sensitization Chronic Effects Carcinogenicity Mutagenicity Reproductive Effec Teratogenicity Section 12:	is-LC50 Ingredients is-Oral LD50 Ingredients posure Eye Skin Inhalation Ingestion ts ECOLOGICAL INFOF The product is possibility tha	LC50 1 hour>42,000 mg/m3 rat LD50 3,550 mg/kg rat 10,000 mg/kg rabbit Direct contact with eyes may cause temporary irritation. No adverse effects due to skin contact are expected. Dust of this product may cause irritation of the nose, throat, & respiratory tract. Expected to be a low ingestion hazard. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH.	
Component Analys Sodium Chloride Component Analys Sodium Chloride Effects of Acute Exp Sensitization Chronic Effects Carcinogenicity Mutagenicity Reproductive Effec Teratogenicity Section 12: Excotoxicity	is-LC50 Ingredients is-Oral LD50 Ingredients posure Eye Skin Inhalation Ingestion ts ECOLOGICAL INFOF The product is possibility tha	LC50 1 hour>42,000 mg/m3 rat LD50 3,550 mg/kg rat 10,000 mg/kg rabbit Direct contact with eyes may cause temporary irritation. No adverse effects due to skin contact are expected. Dust of this product may cause irritation of the nose, throat, & respiratory tract. Expected to be a low ingestion hazard. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH.	
Component Analys Sodium Chloride Component Analys Sodium Chloride Effects of Acute Exp Sensitization Chronic Effects Carcinogenicity Mutagenicity Reproductive Effec Teratogenicity Section 12: Excotoxicity Component Analys	is-LC50 Ingredients is-Oral LD50 Ingredients posure Eye Skin Inhalation Ingestion ts ECOLOGICAL INFOF The product is possibility tha	LC50 1 hour>42,000 mg/m3 rat LD50 3,550 mg/kg rat 10,000 mg/kg rabbit Direct contact with eyes may cause temporary irritation. No adverse effects due to skin contact are expected. Dust of this product may cause irritation of the nose, throat, & respiratory tract. Expected to be a low ingestion hazard. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified as environmentally hazardous. However, this does not exclude the at large of frequent spills can have a harmful or damaging effect on the environment.	
Component Analys Sodium Chloride Component Analys Sodium Chloride Effects of Acute Exp Sensitization Chronic Effects Carcinogenicity Mutagenicity Reproductive Effec Teratogenicity Section 12: Excotoxicity Component Analys	is-LC50 Ingredients is-Oral LD50 Ingredients posure Eye Skin Inhalation Ingestion ts ECOLOGICAL INFOF The product is possibility tha	LC50 1 hour>42,000 mg/m3 rat LD50 3,550 mg/kg rat 10,000 mg/kg rabbit Direct contact with eyes may cause temporary irritation. No adverse effects due to skin contact are expected. Dust of this product may cause irritation of the nose, throat, & respiratory tract. Expected to be a low ingestion hazard. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified as environmentally hazardous. However, this does not exclude the tt large of frequent spills can have a harmful or damaging effect on the environment. LC50 (Lepomis machrochirus) - 5,840 mg/L - 96 hours	
Component Analys Sodium Chloride Component Analys Sodium Chloride Effects of Acute Exp Sensitization Chronic Effects Carcinogenicity Mutagenicity Reproductive Effec Teratogenicity Section 12: Excotoxicity Component Analys Sodium Chloride	is-LC50 Ingredients is-Oral LD50 Ingredients posure Eye Skin Inhalation Ingestion ts ECOLOGICAL INFOF The product is possibility tha is	LC50 1 hour>42,000 mg/m3 rat LD50 3,550 mg/kg rat 10,000 mg/kg rabbit Direct contact with eyes may cause temporary irritation. No adverse effects due to skin contact are expected. Dust of this product may cause irritation of the nose, throat, & respiratory tract. Expected to be a low ingestion hazard. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified as environmentally hazardous. However, this does not exclude the tt large of frequent spills can have a harmful or damaging effect on the environment. LC50 (Lepomis machrochirus) - 5,840 mg/L - 96 hours NOEC - Daphnia - 1,500 mg/L - 7 days LC50 (Daphnia magna) - 1,661 mg/L - 48 hours	
Component Analys Sodium Chloride Component Analys Sodium Chloride Effects of Acute Exp Sensitization Chronic Effects Carcinogenicity Mutagenicity Reproductive Effec Teratogenicity Section 12: Excotoxicity Component Analys	is-LC50 Ingredients is-Oral LD50 Ingredients posure Eye Skin Inhalation Ingestion ts ECOLOGICAL INFOF The product is possibility tha is	LC50 1 hour>42,000 mg/m3 rat LD50 3,550 mg/kg rat 10,000 mg/kg rabbit Direct contact with eyes may cause temporary irritation. No adverse effects due to skin contact are expected. Dust of this product may cause irritation of the nose, throat, & respiratory tract. Expected to be a low ingestion hazard. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified as environmentally hazardous. However, this does not exclude the th large of frequent spills can have a harmful or damaging effect on the environment. LC50 (Lepomis machrochirus) - 5,840 mg/L - 96 hours NOEC - Daphnia - 1,500 mg/L - 7 days LC50 (Daphnia magna) - 1,661 mg/L - 48 hours N/A	
Component Analys Sodium Chloride Component Analys Sodium Chloride Effects of Acute Exp Sensitization Chronic Effects Carcinogenicity Mutagenicity Reproductive Effect Teratogenicity Section 12: Excotoxicity Component Analys Sodium Chloride Persistence / Degra	is-LC50 Ingredients is-Oral LD50 Ingredients posure Eye Skin Inhalation Ingestion ts ECOLOGICAL INFOF The product is possibility tha is	LC50 1 hour>42,000 mg/m3 rat LD50 3,550 mg/kg rat 10,000 mg/kg rabbit Direct contact with eyes may cause temporary irritation. No adverse effects due to skin contact are expected. Dust of this product may cause irritation of the nose, throat, & respiratory tract. Expected to be a low ingestion hazard. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified as environmentally hazardous. However, this does not exclude the tt large of frequent spills can have a harmful or damaging effect on the environment. LC50 (Lepomis machrochirus) - 5,840 mg/L - 96 hours NOEC - Daphnia - 1,500 mg/L - 7 days LC50 (Daphnia magna) - 1,661 mg/L - 48 hours	
Component Analys Sodium Chloride Component Analys Sodium Chloride Effects of Acute Exp Sensitization Chronic Effects Carcinogenicity Mutagenicity Reproductive Effect Teratogenicity Section 12: Excotoxicity Component Analys Sodium Chloride Persistence / Degra Bioaccumulation / J	is-LC50 Ingredients is-Oral LD50 Ingredients posure Eye Skin Inhalation Ingestion ts ECOLOGICAL INFOF The product is possibility that is is	LC50 1 hour>42,000 mg/m3 rat LD50 3,550 mg/kg rat 10,000 mg/kg rabbit Direct contact with eyes may cause temporary irritation. No adverse effects due to skin contact are expected. Dust of this product may cause irritation of the nose, throat, & respiratory tract. Expected to be a low ingestion hazard. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified as environmentally hazardous. However, this does not exclude the th large of frequent spills can have a harmful or damaging effect on the environment. LC50 (Lepomis machrochirus) - 5,840 mg/L - 96 hours NOEC - Daphnia - 1,500 mg/L - 7 days LC50 (Daphnia magna) - 1,661 mg/L - 48 hours N/A N/A	
Component Analys Sodium Chloride Component Analys Sodium Chloride Effects of Acute Exp Sensitization Chronic Effects Carcinogenicity Mutagenicity Reproductive Effect Teratogenicity Section 12: Excotoxicity Component Analys Sodium Chloride Persistence / Degra Bioaccumulation / J Mobility in Environ	is-LC50 Ingredients is-Oral LD50 Ingredients posure Eye Skin Inhalation Ingestion ts ECOLOGICAL INFOF The product is possibility that is is indability Accumulation mental Media mation	LC50 1 hour>42,000 mg/m3 rat LD50 3,550 mg/kg rat 10,000 mg/kg rabbit Direct contact with eyes may cause temporary irritation. No adverse effects due to skin contact are expected. Dust of this product may cause irritation of the nose, throat, & respiratory tract. Expected to be a low ingestion hazard. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified or listed by IARC, NTP, OSHA, and ACGIH. Not classified as environmentally hazardous. However, this does not exclude the tt large of frequent spills can have a harmful or damaging effect on the environment. LC50 (Lepomis machrochirus) - 5,840 mg/L - 96 hours NOEC - Daphnia - 1,500 mg/L - 7 days LC50 (Daphnia magna) - 1,661 mg/L - 48 hours N/A N/A N/A	

Section 13:	DISPOSAL CONSIDERATIONS						
Waste codes Disposal instructior	n product/packaging	Not available. <b>5 waste</b> Dispose of content and/o environmental controls a	or container in accordance with federal, state & local and regulations.				
Section 14:	TRANSPORTA	TION INFORMATION					
U.S. Department of Transportation (DOT) Not regulated as dangerous goods Transportation of Dangerous Goods (TDG-Canada) Not regulated as dangerous goods.							
Section 15:	-						
Canadian Federal R			cordance with the hazard criteria of the Controlled Products				
	egulations	Regulations and the SDS contains all t					
WHMIS status			Not Controlled				
US Federal Regulati		his product is not known to be a "Ha lazard Communication Standard, 29	azardous Chemical" as defined by the OSHA CFR 1910. 1200.				
	1200 Hazardous Che		Not listed				
	Substance List (40 Cl	-	Not listed				
		40 CFR 707, Subpt.D) zation Act of 1986 (SARA)	Not regulated				
•	azard Categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No					
Section 3: Section 3: Clean Air Act Sectio Clean Air Act Sectio Clean Water Act (CV Safe Drinking Act (S	n 112 Hazardous Aiı VA) DWA) Agency (DEA) Food a		No No Not regulated Not regulated Not regulated Not regulated Total food additive				
California Prop 65 This product does not contain any chemical known to the State of California to cause cancer, birth defects, or other reproductive harm.							
	setts, Pennsylvania,	Rhode Island RTK	Not Regulated				
Inventory Status	nu or Docion	Inventory Name	On Inventory (yes/no)				
Count	ry or Region	Domestic Substances List (D					
Canad		Non-Domestic Substances L					
	l States & Puerto Ri	co Toxic Substances Control Ac	ct (TSCA) Inventory Yes				
A "YES" indicates that all components of this product comply with the inventory requirements administered by the governing country(s). Section 16: OTHER INFORMATION							
Disclaimer	Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.						
SDS Revision Date Other Information		03-November-2020 This SDS conforms to the ANSI Z400	0.1/Z129-2010 (Rev. 12/2012)				