

SAFETY DATA SHEET (SDS)

| Section 1: | PRODUCT & COMPAN | NY IDENTIFICATION | | |
|------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|--|
| Product Name CAS # Product Use | | Purple Heat, Ice Melter 7791-18-6, 7647-14-5, 61048 De-icer | | |
| Manufacturer(s) | Blending/Bagging | Salt Depot Inc 5442 Wells Park Road West Jordan, Utah 84084 801-282-1250 | | |
| Supplier | | Salt Depot Inc 5442 Wells Park Road West Jordan, Utah 84084 801-282-1250 | | |
| 24 Hour Hotline | | CHEMTREC 800-424-9300 | | |
| Section 2: | HAZARDS IDENTIFIC | ATION | | |
| Emergency Overvie | Emergency Overview CAUTION | | | |
| Potential Short Tern | n Health Effects Routes of Exposure Eyes Skin Inhalation | Contact may cause eye and skin irritation. Eye, Skin Contact, Inhalation, Ingestion. May cause irritation. May cause irritation. Dusts of this product may cause irritation of the nose, throat, and respiratory tract | | |
| Target Organs Chronic Effects Signs and Symptom | Ingestion | May cause stomach distress, nausea or vomiting. Eyes. Skin. Respiratory system. Prolonged or repeated exposure can cause drying, defatting and dermatitis. Symptoms may include redness, edema, drying, defatting, and cracking of skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and | | |
| Section 3: | COMPOSITION / INOR | MATION ON INGREDIENTS | | |
| Ingredient(s) Magnesium Chloride Sodium Chloride Calcium Chloride Potassium Acid Purple Liquid Co | lorant Blend (Xanthene and Triph | CAS# 7791-18-6 7647-14-5 010043-52-4 enylmethane dyes) | Percent 6% 92% 1% 1% | |
| Section 4: | FIRST AID MEASURE | S | | |
| First Aid Procedures | | Flush with cool water. Remove contact lenses, if applicable, and continue | | |
| | Skin Contact | flushing. Obtain medical attention if irritation persists. Flush with cool water. Wash with soap & water. Obtain medical attention if irritation persists. | | |
| | Inhalation | If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention. | | |
| | Ingestion | Do not induce vomiting. Rinse mouth with water, then drink 1 to 2 glasses of water. Obtain medical attention. Never give anything by mouth if victim is unconscious, or is convulsing. | | |
| Notes to Physician General Advice | | Symptoms may be delayed. None Available. | | |
| Section 5: FIRE FIGHTING MEASURES | | | | |
| | d | Not flammable by WHMIS/OSHA criteria. N/A N/A Treat for surround material, water spray, dry chemicals, foam or carbon dioxide. N/A | | |
| 1 | - | | | |

| Section 5: | FIRE FIGHTING MEASURES, continued | | | |
|---------------------------------------------------------------------------|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|--|
| Protection of Firefighters Specific Hazards Arising from | | N/A | | |
| the Chemical Protective Equipment for | | Firefighters should wear full protective clothing, including self contained breathing | | |
| Firefighters Unusual Fire & Explosion Hazards | | apparatus. None expected, but avoid the build up of dye dust clouds which could be explosive. | | |
| | NFPA FIRE HAZAR | - | Minimal 0 | |
| | Health: Fire: | 1 | Slight 1 Moderate 2 Serious 3 | |
| | Reactivity: Specific: | 0 N/A | Serious 3 Severe 4 | |
| Section 6: | | | | |
| Section 0. | | | | |
| Personal Precautions | | Before attempting clean up, refer to hazard data given above. Use broom or dry vacuum to collect material for proper disposal without raising dust. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements. | | |
| Methods of Containment Methods for Cleaning Up | | None necessary. Before attempting clean up, refer to hazard data given above. Use broom or dry vacuum to collect material for proper disposal without raising dust. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements. Discard containers except for storage and shipment of original product. | | |
| Section 7: | HANDLING & STORAGE | | | |
| Handling Storage | | Avoid breathing dusts from this material. Keep out of reach of children. Keep containe well-ventilated place. | ers tightly closed in a cool, | |
| Section 8: | EXPOSURE CONTRO | LS / PERSONAL PROTECTION | | |
| Exposure Limits Ingredient(s) Sodium Chloride Magnesium Chloride | | Exposure Limits ACGIH-TLV Not established OSAH-PEL Not established ACGIH-TLV Not established OSAH-PEL | | |
| Engineering Controls | | Not established TWA PEL: No specific limits have been established for magnesium chloride & sodium chloride (a soluble substance). As a guideline, OSHA has established the following limits which are generally recognized for inert or nuisance dust. Particulates not otherwise regulated (PNOR): 5mg/cu.m. Respirable dust 8-hr TWA PEL, 15mg/cu.m. Total dust 8-hr TWA PEL TWA TLV: No specific limits have been established for magnesium chloride & sodium chloride (a soluble substance). As a guideline, ACGIH has established the following limits which are generally recognized for inert or nuisance dust. Particulates not otherwise classified (PNOC): 10mg/cu.m. Respirable dust 8-hr TWA TLV, 15mg/cu.m. Total dust 8-hr TWA TLV | | |
| | | Use process enclosures, local exhaust ventila control airborne levels below recommended e dust, fumes or mist, use ventilation to keep e the exposure limits. | exposure limits. If user operations generate | |
| Personal Protective | | Safaty Classes | | |
| Eye / Face Protection Hand Protection | | Safety Glasses. Rubber gloves. Confirm with a reputable supplier first. | | |
| Skin & Body Protection Respiratory Protection | | As required by employer code. Where exposure guideline may be exceeded, use an approved NIOSH respirator or NIOCH expressed filtering facepiece. | | |
| General Hygiene Considerations | | NIOSH approved filtering facepiece. Handle in accordance with good industrial hy not eat or drink. Wash hands before breaks & | | |

Section 9: PHYSICAL & CHEMICAL PROPERTIES

| Appearance | Crystalline |
|------------------------------------------------|------------------------|
| Color | Purple |
| Form | Crystalline |
| Odor | Slightly aromatic |
| Odor Threshold | Not available |
| Physical State | Solid |
| рН | 6-8 neutral |
| Melting Point | 800.9 C (1473.8 F) |
| Freezing Point | Not available |
| Boiling Point | 1413 C (2575.4 F) |
| Flash Point | Not available |
| Evaporation Rate | Not available |
| Flammability limits in air, lower, % by volume | Not applicable |
| Flammability limits in air, upper, % by volume | Not applicable |
| Vapor Pressure | 0.1 kPa (1 mmhg)@865 C |
| Vapor Density | Not applicable |
| Specific Gravity | 2.17 (H@) @20 C |
| Relative Density | 2.17 g/cm3 |
| Octanol/Water Coefficient | Not available |
| Solubility (H2O) | 36g/100g H2O @ 20 C |
| Partition Coefficient | Not available |
| Auto-ignition Temperature | Not available |
| Percent Volatile | 0% w/w |
| Molecular Weight | 58.4400 g/mole |
| Molecular Formula | NaCl, MgC12.6H2O |
| | |

Section 10: CHEMICAL STABILITY REACTIVITY INFORMATION

Chemical Stability Conditions to Avoid Incompatible Materials Stable under recommended storage conditions. Do not mix with incompatible materials. Reactive with oxidizing agents, acids, metals in presence of moisture, lithium, bromine, trifloride. May include and are not limited to: Halogenated compounds. Hydrogen chloride.

Hazardous Decomposition Products Possibility of Hazardous Reactions

Section 11: TOXICOLOGICAL INFORMATION

| Component Analysis-LC50 | | | | |
|---------------------------------|-----------------------------------|-------------------------------------------------------------------------------------|--|--|
| Ingredients | | LC50 | | |
| Magnesium Chloride | | Not available | | |
| Sodium Chloride | | >21000 mg/m3 rat | | |
| Component Analysi | s-Oral LD50 | - | | |
| Ingredients | | LD50 | | |
| Magnesium Chlorid | e | 8100 mg/kg rat; 7600 mg/kg mouse | | |
| Sodium Chloride | | 3000 mg/kg rat | | |
| Effects of Acute Ex | posure | | | |
| | Eye | May cause irritation. | | |
| | Skin | May cause irritation. | | |
| | Inhalation | Dust of this product may cause irritation of the nose, throat, & respiratory tract. | | |
| | Ingestion | May cause stomach distress, nausea or vomiting. | | |
| Sensitization | | Not classified or listed by IARC, NTP, OSHA, and ACGIH. | | |
| Chronic Effects | | Not classified or listed by IARC, NTP, OSHA, and ACGIH. | | |
| Carcinogenicity | | Not classified or listed by IARC, NTP, OSHA, and ACGIH. | | |
| Mutagenicity | | Not classified or listed by IARC, NTP, OSHA, and ACGIH. | | |
| Reproductive Effects | | Not classified or listed by IARC, NTP, OSHA, and ACGIH. | | |
| Teratogenicity | | Not classified or listed by IARC, NTP, OSHA, and ACGIH. | | |
| Section 12: | ection 12: ECOLOGICAL INFORMATION | | | |
| Ecotoxicity | | May be harmful to freshwater aquatic species and to plants that are not tolerant. | | |
| Environmental Effects | | Not available. | | |
| Aquatic Toxicity | | Not available. | | |
| Persistence / Degradability | | Not available. | | |
| Bioaccumulation / Accumulation | | Not available. | | |
| Mobility in Environmental Media | | Not available. | | |
| Chemical Fate Information | | Not available. | | |
| | | | | |

Page 3 of 4

| Section 13: | DISPOSAL CONSIDER | ATIONS |
|---------------------------------------------------------------------------------|------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Waste codes Disposal instruction Wasteform Residues Contaminated Packa | s / Unused Products | Not available. Waste must be disposed of in accordance with federal, state & local environmental controls. Not available. Not available. |
| Section 14: | TRANSPORTATION IN | FORMATION |
| | | |
| Department of Trans | portation (DOT) Not regulated as dangerous go | ada |
| Transportation of Da | ingerous Goods (TDG) | lods |
| | Not regulated as dangerous go | ods |
| Section 15: | REGULATORY INFOR | MATION |
| | | |
| Canadian Federal Re | egulations | This product has been classified in accordance with the hazard criteria of the controlled |
| US Federal Regulation | ons | products regulations and the MSDS contains all the information required. This product is not known to be a "Hazardous Chemical" as defined by the OSHA |
| j | | Hazard Communication Standard, 29 CFR 1910. 1200. |
| Occupational Safety | & Health Administration | Na |
| | 29 CFR 1910.1200 Hazardous Chemical | No |
| CERCLA (Superfund | I) Reportable Quantity | |
| | None | |
| Superfund Amendm | ents and Reauthorization Act of Hazard Categories | 1986 (SARA) Immediate Hazard - No |
| | hazaru Gategories | Delayed Hazard - No |
| | | Fire Hazard - No |
| | | Pressure Hazard - No |
| | | Reactivity Hazard - No |
| | Section 302 Extremely Hazardous Substance | No |
| | Section 311 Hazardous | No |
| | Chemical | |
| Clean Air Act (CAA) | | Not available. |
| Clean Water Act (CV | | Not available. |
| Safe Drinking Act (S | | Not available. |
| Drug Enforcement A Food and Drug Adm | | Not available. Not available. |
| WHMIS Status | | Not controlled. |
| State Regulations | | This product does not contain any chemical known to the State of California to cause |
| - | | cancer, birth defects, or other reproductive harm. |
| Inventory Name | Country on Donion | |
| | Country or Region Canada | Inventory Name On Inventory (yes/no) Domestic Substances List (DSL) Yes |
| | Canada | Non-Domestic Substances List (NSDL) No |
| | United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory Yes |
| | A "YES" indicates that all components of the | his product comply with the inventory requirements administered by the governing country(s). |
| Section 16: | OTHER INFORMATION | 1 |
| Section 16: | | ۹ |
| Disclaimer | | Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document. |
| SDS Revision Date Other Information | | 15-Jul-2014 This SDS conforms to the ANSI Z400.1/Z129-2010 (Rev. 12/2012) |